

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

We claim:

1. (Currently amended) An anti-wrinkle cosmetic comprising the following ingredients in a water/oil silicone oil system

0.05 to 3.0% by weight (w/w) of an extract from *Papaver*,

0.05 to 2.0% by weight (w/w) of an extract from *Passiflora*,

0.05 to 3.0% by weight (w/w) of an extract from *Mentha*,

0.05 to 3.0% by weight (w/w) of an extract from *Myrtus*,

wherein a remainder of the anti-wrinkle cosmetic comprises in addition to usual cosmetic auxiliaries, carriers, active agents or mixtures thereof, which make up the remainder up to 100 %

wherein said extract from *Papaver* is an extract from the seeds of *P. adulis*, *P. rhoeas*, *P. incarnata*, *P. laurifolia*, *P. quadrangularis*, *P. somniferum* or mixtures thereof, and

wherein said extract from *Mentha* is an extract from *M. aquatica*, *M. arvensis*, *M. piperita*, *M. pulegium*, *M. rotundifolia*, *M. viridis* or mixtures thereof.

2. (Currently amended) The anti-wrinkle cosmetic according to claim 1, wherein said cosmetic contains 0.5 to 15 % by weight of a solution of ~~the~~ hexapeptide acetyl-Glu-Glu-Met-Gln-Arg-Arg-NH₂ (SEQ ID NO:1) as an additional active agent with the concentration of the pure peptide in said solution being 0.5 g/l.

Claims 3-4. (Canceled)

5. (Original) The anti-wrinkle cosmetic according to claim 1, wherein the silicone oils of said silicone oil system are selected from the group consisting of cyclohexasiloxane, cyclopentasiloxane, cyclotetrasiloxane, dimethicone and mixtures thereof.

6. (Currently amended) The anti-wrinkle cosmetic according to claim 1, wherein said cosmetic contains Dimethicone & ~~PEG~~ and polyethylene glycol 10 Dimethicone Crosspolymer & ~~PEG~~ and polyethylene glycol 15 Dimethicone Crosspolymer as silicone gel, together with one or several silicone oil(s).

7. (Currently amended) The anti-wrinkle cosmetic according to claim 1, wherein said cosmetic contains 0.2 to 1.5 % by weight of an active complex, relative to the cosmetic's total weight, as an additional active agent, which complex consists of 0.1-10 % by weight of an extract from the bark of Quebracho blanco (*A. quebracho-blanco*), 0.1-10 % by weight of a silkworm (*Bombyx mori*) extract, 0.1-5 % by weight of a hydrogel, 0.1-30 % by weight phospholipids and 45-99.6 % by weight water relative to the total weight of the active complex.

8. (Currently amended) The ~~An~~ anti-wrinkle cosmetic according to claim 1, wherein said cosmetic contains neither pigments nor powder.

9. (Currently amended) The anti-wrinkle cosmetic according to claim 1, wherein said cosmetic comprises

0.8-2.4 % by weight (w/w) of an extract from *Papaver*,

0.1-0.9 % by weight (w/w) of an extract from *Passiflora*,

1.2-2.6 % by weight (w/w) of an extract from *Mentha*,

0.4-2.8 % by weight (w/w) of an extract from *Myrtus* and

0.5-2.0 % by weight (w/w) of a solution of the hexapeptide acetyl-Glu-Glu-Met-Gln-Arg-Arg-NH₂ (SEQ ID NO:1) in a cosmetic composition.

10. (New) The anti-wrinkle cosmetic according to claim 1, wherein the *Papaver* extract is obtained from poppy seeds using a polyvalent alcohol at 20-50°C.

11. (New) The anti-wrinkle cosmetic according to claim 1, wherein the *Passiflora* extract is obtained from *Passiflora* flowers using propylene glycol at 20-50°C.

12. (New) The anti-wrinkle cosmetic according to claim 1, wherein the *Mentha* extract is an aqueous extract obtained at 20-50°C.

13. (New) The anti-wrinkle cosmetic according to claim 1, wherein the *Myrtus* extract comprises an alcohol and is obtained from *Myrtus* flowers at 20-50°C.

14. (New) The anti-wrinkle cosmetic according to claim 1, wherein:

(a) the *Papaver* extract is obtained from poppy seeds using a polyvalent alcohol at 20-50°C;

(b) the *Passiflora* extract is obtained from *Passiflora* flowers using propylene glycol at 20-50°C;

(c) the *Mentha* extract is an aqueous extract obtained at 20-50°C; and

(d) the *Myrtus* extract comprises an alcohol and is obtained from *Myrtus* flowers at 20-50°C.